

SAFETY DATA SHEET

Date Prepared : 5/22/2015

SDS No : Pow_SDS

Pow

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Pow
GENERAL USE: Heavy Duty Bowl Cleaner
PRODUCT CODE: J10-40040

MANUFACTURER

Ultra-Chem Inc.
 8043 Flint
 Lenexa, KS 66214

Emergency Phone: 913-492-2929

Customer Service: 800-451-0726

Transportation: 800-535-5053

24 HR. EMERGENCY TELEPHONE NUMBERS

Infotrac 800-535-5053

2. HAZARDS IDENTIFICATION

GHS CLASSIFICATIONS

Acute Toxicity (Oral), Category 4
 Serious Eye Damage / Eye Irritation, Category 1B
 Eye Damage/Irritation, Category 1
 Specific Target Organ Toxicity, Single Exposure (Respiratory irritation), Category 3
 Corrosive to Metals, Category 1

GHS LABEL



Exclamation
mark



Corrosion

HAZARD STATEMENTS

H302: Harmful if swallowed.
 H314: Causes severe skin burns and eye damage.
 H335: May cause respiratory irritation.
 H290: May be corrosive to metals.

PRECAUTIONARY STATEMENTS

Prevention:

P260: Do not breathe dust/fume/gas/mist/vapours/spray.
 P264: Wash face, hands and any exposed skin thoroughly after handling.
 P280: Wear protective gloves/protective clothing/eye protection/face protection.
 P270: Do not eat, drink or smoke when using this product.

Response:

P301+P330+P331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
 P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
 P363: Wash contaminated clothing before reuse.
 P304+P340: IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.
 P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P309+P311: IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician.

Storage:

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

Disposal:

P501: Dispose of contents/container to an approved waste disposal plant.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Wt.%	CAS
Hydrochloric Acid	23 - 24	7647-01-0
Alcohols, C 12-15, Ethoxylated	0.5 - 2.5	68131-39-5

4. FIRST AID MEASURES

EYES: Immediately flush eyes with plenty of water. Get medical attention, if irritation persists.

SKIN: Wash with soap and water. Get medical attention if irritation develops or persists.

INGESTION: Rinse mouth. Do NOT induce vomiting. Call a physician or Poison Control Center.

INHALATION: Remove to fresh air and keep at rest in a position comfortable for breathing. Call a physician or Poison Control Center if you feel unwell.

NOTES TO PHYSICIAN: No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

5. FIRE FIGHTING MEASURES

FLAMMABLE CLASS: NA = Not Applicable

GENERAL HAZARD: This product causes burns of eyes, skin and mucous membrane. Thermal decomposition can lead to release of irritating gases and vapors. In the event of fire and/or explosion do not breathe fumes. Contact with metals may evolve flammable hydrogen gas.

EXTINGUISHING MEDIA: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

OTHER CONSIDERATIONS: In a fire or if heated, a pressure increase will occur and the container may burst.

FIRE FIGHTING EQUIPMENT: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if not water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

LARGE SPILL: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product.

7. HANDLING AND STORAGE

HANDLING: Ensure adequate ventilation. Wear personal protective equipment as required based on a risk assessment. Do not get in eyes, on skin, or on clothing. Do not breathe vapors or spray mist. Remove and wash contaminated clothing before re-use. Wash thoroughly after handling.

STORAGE: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials and food or drink. Separate from acids. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE GUIDELINES

OSHA HAZARDOUS COMPONENTS (29 CFR1910.1200)				
			EXPOSURE LIMITS	
			Supplier OEL	
Chemical Name			ppm	mg/m ³
Hydrochloric Acid	TWA		NL	NL
	STEL		NL	NL

ENGINEERING CONTROLS: Proper ventilation in accordance with good industrial hygiene should be provided.

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts. Recommended: splash goggles with the use of any liquid products.

SKIN: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

RESPIRATORY: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

PROTECTIVE CLOTHING: Wear chemical protective clothing e.g. gloves, aprons, boots. As conditions required.

WORK HYGIENIC PRACTICES: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Liquid

ODOR: Typical

ODOR THRESHOLD: No data available

APPEARANCE: Opaque white

pH: 1

FLASH POINT AND METHOD: None

FLAMMABLE LIMITS: 0 to 0

Notes: NA = Not Applicable

AUTOIGNITION TEMPERATURE: NA = Not Applicable

VAPOR PRESSURE: No data available

VAPOR DENSITY: No data available

BOILING POINT: (185°F)

FREEZING POINT: < (0°F)

THERMAL DECOMPOSITION: No data available

SOLUBILITY IN WATER: Completely soluble

EVAPORATION RATE: Similar to water

SPECIFIC GRAVITY: 1 to 1.11

(VOC): < 0.500

10. STABILITY AND REACTIVITY

STABLE: Yes

STABILITY: Stable under recommended storage conditions.

POSSIBILITY OF HAZARDOUS REACTIONS: No specific reactivity test data is available. Under normal conditions of storage and use, hazardous reactions are not expected.

HAZARDOUS DECOMPOSITION PRODUCTS: Hydrogen chloride

INCOMPATIBLE MATERIALS: Mixing with bleach, alkali, or oxidizers may generate toxic gases. Never use or mix with other chemicals.

11. TOXICOLOGICAL INFORMATION

ACUTE

DERMAL LD₅₀: > 2000 mg/kg

ORAL LD₅₀: > 950 mg/kg

INHALATION LC₅₀: > 20 mg/L

EYE EFFECTS: Causes serious eye damage.

SKIN EFFECTS: Causes severe skin burns.

CARCINOGENICITY

IARC: NA = Not Applicable

REPEATED DOSE EFFECTS: Repeated or prolonged contact causes skin or eye damage. May cause respiratory tract irritation..

SENSITIZATION: Not a sensitizer

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: This material has not been tested for acute environmental effects.

BIOACCUMULATION/ACCUMULATION: No evidence to suggest bio-accumulation will occur.

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

14. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION)

PROPER SHIPPING NAME: Corrosive Liquid N.O.S.

TECHNICAL NAME: (Contains; Hydrochloric Acid)

PRIMARY HAZARD CLASS/DIVISION: 8

UN/NA NUMBER: UN1760

PACKING GROUP: II

NAERG: 154

LABEL: Corrosive

OTHER SHIPPING INFORMATION: All products offered for domestic ground transportation that meet the following Exceptions for Class 8 (corrosive materials) will be packaged and shipped as "Limited Qty".

(1) For corrosive materials in Packing Group II, inner packagings not over 1.0 L (0.3 gallon) net capacity each for liquids or not over 1.0 kg (2.2 lbs) net capacity each for solids, packed in a strong outer packaging with a gross package weight of 66 lbs or less.

(2) For corrosive materials in Packing Group III, inner packagings not over 5.0 L (1.3 gallon) net capacity each for liquids or not over 5.0 kg (11 lbs) net capacity each for solids, packed in a strong outer packaging with a gross package weight of 66 lbs or less.

15. REGULATORY INFORMATION

UNITED STATES**DOT LABEL SYMBOL AND HAZARD CLASSIFICATION**

Limited
Quantity
Ground



Corrosive

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

FIRE: No **PRESSURE GENERATING:** No **REACTIVITY:** No **ACUTE:** Yes **CHRONIC:** No

EPCRA SECTION 313 SUPPLIER NOTIFICATION

Chemical Name	Wt. %	CAS
Hydrochloric Acid	23 - 24	7647-01-0

CERCLA (COMPREHENSIVE ENVIRONMENTAL RESPONSE, COMPENSATION, AND LIABILITY ACT)

Chemical Name	Wt. %	CERCLA RQ
Hydrochloric Acid	23 - 24	5,000

TSCA (TOXIC SUBSTANCE CONTROL ACT)

Chemical Name	CAS
Hydrochloric Acid	7647-01-0
Alcohols, C12-15, Ethoxylated	68131-39-5

CLEAN AIR ACT

Chemical Name	Wt. %	CAS
Hydrochloric Acid	23 - 24	7647-01-0


CALIFORNIA PROPOSITION 65: This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

PREPARED BY: KH **Date Prepared:** 5/22/2015

HMIS RATING

HEALTH	*	3
FLAMMABILITY		0
PHYSICAL HAZARD		0
PERSONAL PROTECTION		C

NFPA CODES

MANUFACTURER DISCLAIMER: The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.