

CAPTURE

NATURAL FLOATING DEGREASER & DEODORIZER



DESCRIPTION

Distilled from natural, organic plant material, this product is an exclusive formula that is designed to capture heavy loads of fats, greases, and oils. After it captures them, it **emulsifies** them into a free-flowing liquid. Furthermore, it absolutely does not cause any pollution and is **safe to the environment**. This product is **designed to keep grease traps and sewage treatment plants clean, deodorized, and free-flowing**. This product **does not break down with water**. In fact, it forms a blanket on top of treated area and stays afloat while it **captures greases and oils**. Regular use of this product will **eliminate manual cleaning**.

BENEFITS - FEATURES

- * Natural, citrus base
- * Non-acid
- * Non-caustic
- * Safe on metals
- * USDA authorized
- * Natural deodorizer
- * Non-corrosive
- * Environmentally safe
- * No petroleum distillate's

ADVANTAGES

- * Emulsifies fats, greases, and oils
- * Does not break down with water
- * Regular use eliminates manual cleaning
- * Does not contain hazardous components

WHERE TO USE

- * Grease Traps
- * Sewage Treatment Systems

RECOMMENDED FOR

- * Schools
- * Hospitals
- * Motels
- * Cafeterias
- * Shopping Malls
- * Institutions
- * Hotels
- * Restaurants
- * Airports
- * Factories

DIRECTIONS

For Grease Traps:

Use a sufficient quantity to provide a 1 to 3 inch layer on the surface of the grease trap (half gallon will cover 60 square inches at a depth of 2 inches). Thereafter, add 1 pint per week for normal loads. Under normal conditions, this should eliminate need of manual cleaning.
For traps that are **HEAVILY LOADED**

with grease, it is suggested that a manual cleaning of the trap be done before the initial dosage.

For Sewage Treatment Plants:

Add to lift stations. Pour enough of product to maintain a blanket layer of 1 to 3 inches. It takes approximately one gallon per square foot. Check and maintain thereafter.

Capture may also be used in sinks and drains to overcome water stagnation and other malodors. **Sink:** Add 2 ounces on a bi-weekly or weekly basis. **Floor Drains:** Add 1 ounce of product for each inch of pipe size twice a week.

CAUTION: Combustible mixture

SPECIFICATIONS

Color.....Red
Odor.....Citrus
pH.....N/A

Specific gravity......830
Flash point.....122°F

Density.....6.92
Volatile.....100%

Another Exclusive Product of

ULTRA-CHEM INC.

Kansas City - Phoenix 800-451-0726

