

# SAFETY DATA SHEET

## BLAZE

Date Prepared : 5/19/2015

SDS No : E10-24010-SDS

Date Revised : 7/20/2023

Revision No : 1

### 1. PRODUCT AND COMPANY IDENTIFICATION

**PRODUCT NAME:** BLAZE  
**PRODUCT CODE:** E10-24010

**DISTRIBUTED BY:** ULTRA-CHEM, INC.  
**ADDRESS:** 9870 BRITTON ST.  
LENEXA, KS 66219

#### 24 HR. EMERGENCY TELEPHONE NUMBERS

Infotrac 800-535-5053

**COMPANY PHONE:** 800-451-0726  
**COMPANY EMAIL:** ORDERS@ULTRA-CHEMINC.COM

**GENERAL USE:** Aggressive Rinse-Free Stripper

### 2. HAZARDS IDENTIFICATION

#### GHS CLASSIFICATIONS

##### Health:

Skin Corrosion, Category 1C

Eye Corrosion, Category 1

##### Physical:

Corrosive to Metals, Category 1

#### GHS LABEL



Corrosion

#### HAZARD STATEMENTS

H314: Causes severe skin burns and eye damage.

H290: May be corrosive to metals.

#### PRECAUTIONARY STATEMENTS

##### Prevention:

P260: Do not breathe dust/fume/gas/mist/vapours/spray.

P264: Wash face, hands and any exposed skin thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

##### Response:

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340: IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.

P301+P312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

P314: Get medical advice/attention if you feel unwell.

##### Storage:

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

##### Disposal:

P501: Dispose of contents/container to an approved waste disposal plant.

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Wt. %	CAS
2- Butoxyethanol	< 15	111-76-2
Potassium Hydroxide	< 5	1310-58-3
Ethanol, 2-amino-	< 5	141-43-5
2-propanol	< 5	67-63-0

### 4. FIRST AID MEASURES

**EYES:** Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately. In case of contact with eyes, rinse immediately with plenty of water.

**SKIN:** Remove / Take off immediately all contaminated clothing. Rinse skin with water / shower. Call a POISON CENTER or doctor / physician. Remove and wash contaminated clothing before re-use.

**INGESTION:** Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention if you feel unwell.

**INHALATION:** Remove to fresh air and keep at rest in a position comfortable for breathing. Call a physician or Poison Control Center if you feel unwell.

**NOTES TO PHYSICIAN:** No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

### 5. FIRE FIGHTING MEASURES

**GENERAL HAZARD:** Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action should be taken involving any personal risk or without suitable training.

**EXTINGUISHING MEDIA:** Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**HAZARDOUS COMBUSTION PRODUCTS:** Oxides of carbon, acid mist/smoke

**OTHER CONSIDERATIONS:** In a fire or if heated, a pressure increase will occur and the container may burst.

**FIRE FIGHTING EQUIPMENT:** As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### 6. ACCIDENTAL RELEASE MEASURES

**SMALL SPILL:** Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if not water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

**LARGE SPILL:** Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product.

### 7. HANDLING AND STORAGE

**HANDLING:** Ensure adequate ventilation. Wear personal protective equipment as required based on a risk assessment. Do not get in eyes, on skin, or on clothing. Do not breathe vapors or spray mist. Remove and wash contaminated clothing before re-use. Wash thoroughly after handling.

**STORAGE:** Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials and food or drink. Separate from acids. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### EXPOSURE GUIDELINES

OSHA HAZARDOUS COMPONENTS (29 CFR1910.1200)							
		EXPOSURE LIMITS					
		OSHA PEL		ACGIH TLV		Supplier OEL	
Chemical Name		ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>
2- Butoxyethanol	TWA	50	240	20	97	NL	NL
	STEL					NL	NL
Ethanol, 2-amino-	TWA	3	6	3	7.5	NL	NL
	STEL			6	15	NL	NL
2-propanol	TWA	400	980	200	490	NL	NL
	STEL			400	960	NL	NL

**ENGINEERING CONTROLS:** Proper ventilation in accordance with good industrial hygiene should be provided.

### PERSONAL PROTECTIVE EQUIPMENT

**EYES AND FACE:** If splashes are likely to occur, wear: Tightly fitting safety goggles and face shield

**SKIN:** Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**RESPIRATORY:** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations.

**PROTECTIVE CLOTHING:** Wear chemical protective clothing e.g. gloves, aprons, boots. As conditions required.

**WORK HYGIENIC PRACTICES:** Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**PHYSICAL STATE:** Liquid

**ODOR:** Typical

**ODOR THRESHOLD:** No data available

**APPEARANCE:** Colored Liquid

**pH:** 13 to 14

**FLASH POINT AND METHOD:** No data available

**FLAMMABLE LIMITS:** 0 to 0

**Notes:** No data available

**AUTOIGNITION TEMPERATURE:** No data available

**VAPOR PRESSURE:** No data available

**VAPOR DENSITY:** No data available

**BOILING POINT:** No data available

**FREEZING POINT:** No data available

**THERMAL DECOMPOSITION:** No data available

**SOLUBILITY IN WATER:** Completely soluble

**EVAPORATION RATE:** Similar to water

**SPECIFIC GRAVITY:** 1.01 to 1.080

(VOC): 27.000

## 10. STABILITY AND REACTIVITY

**STABLE:** Yes

**CONDITIONS TO AVOID:** None known.

**POSSIBILITY OF HAZARDOUS REACTIONS:** Under normal conditions of storage and use, hazardous reactions will not occur.

**HAZARDOUS DECOMPOSITION PRODUCTS:** Carbon oxodies

**INCOMPATIBLE MATERIALS:** Strong acids & bases; material that react with unsaturated hydrocarbons.

## 11. TOXICOLOGICAL INFORMATION

### ACUTE

**NOTES:** Causes severe burns

**EYE EFFECTS:** Causes eye irritation

**SKIN EFFECTS:** Causes skin irritation.

**CHRONIC:** Dermatitis may occur due to long-term irritation. Liver and kidney damage.

### CARCINOGENICITY

**IARC:** None

**NTP:** None

**OSHA:** None

**Notes:** None

## 12. ECOLOGICAL INFORMATION

**ENVIRONMENTAL DATA:** This material has not been tested for acute environmental effects.

**BIOACCUMULATION/ACCUMULATION:** No evidence to suggest bio-accumulation will occur.

## 13. DISPOSAL CONSIDERATIONS

**DISPOSAL METHOD:** Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

## 14. TRANSPORT INFORMATION

### DOT (DEPARTMENT OF TRANSPORTATION)

**PROPER SHIPPING NAME:** Corrosive Liquid N.O.S.

**TECHNICAL NAME:** (Contains: Caustic Potash)

**PRIMARY HAZARD CLASS/DIVISION:** 8

**UN/NA NUMBER:** 1760

**PACKING GROUP:** II

**NAERG:** 154

**LABEL:** Corrosive

**OTHER SHIPPING INFORMATION:** All products offered for domestic ground transportation that meet the following Exceptions for Class 8 (corrosive materials) will be packaged and shipped as "Limited Qty".

(1) For corrosive materials in Packing Group II, inner packagings not over 1.0 L (0.3 gallon) net capacity each for liquids or not over 1.0 kg (2.2 lbs) net capacity each for solids, packed in a strong outer packaging with a gross package weight of 66 lbs or less.

(2) For corrosive materials in Packing Group III, inner packagings not over 5.0 L (1.3 gallon) net capacity each for liquids or not over 5.0 kg (11 lbs) net capacity each for solids, packed in a strong outer packaging with a gross package weight of 66 lbs

or less.

**15. REGULATORY INFORMATION****UNITED STATES****SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)**

311/312 HAZARD CATEGORIES: None

FIRE: No PRESSURE GENERATING: No REACTIVITY: No ACUTE: Yes CHRONIC: No

313 REPORTABLE INGREDIENTS: None

**EPCRA SECTION 313 SUPPLIER NOTIFICATION**

Chemical Name	Wt. %	CAS
2-propanol	< 5	67-63-0

**CERCLA (COMPREHENSIVE ENVIRONMENTAL RESPONSE, COMPENSATION, AND LIABILITY ACT)**

CERCLA REGULATORY: Potassium Hydroxide (1310-58-3)

Chemical Name	Wt. %	CERCLA RQ
Potassium Hydroxide	< 5	1,000

CERCLA RQ: 1,000 Lbs

**TSCA (TOXIC SUBSTANCE CONTROL ACT)**


Chemical Name	CAS
2- Butoxyethanol	111-76-2
Potassium Hydroxide	1310-58-3
Ethanol, 2-amino-	141-43-5
2-propanol	67-63-0

**16. OTHER INFORMATION**

PREPARED BY: KH Date Prepared: 5/19/2015

**HMIS RATING**

HEALTH		2
FLAMMABILITY		0
PHYSICAL HAZARD		1
PERSONAL PROTECTION		B

**NFPA CODES**

**MANUFACTURER DISCLAIMER:** The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.